

**Benchmark****BMG425**

## NITRILE, POWDER-FREE, SINGLE USE PROTECTION

Lightweight, powder-free, single-use gloves with textured fingertips.

### FEATURES

- › 100% premium quality nitrile
- › Textured finish on the fingertips to enhance grip
- › Lightweight and comfortable with a 'second skin' feel
- › Powder-free, non-sterile
- › Category III
- › AQL 2.5
- › Latex free
- › Beaded cuff
- › Thickness 0.07mm (3.5g)
- › Conforms to EN455 (parts -1, -3 &-4)



### SUITABLE FOR


#### Typical Industries

- Maintenance
- Automotive
- Manufacturing
- Engineering
- Repair and Finishing

#### Suitable Applications

- Handling Oily Components
- Janitorial
- Light Assembly

### CERTIFICATION



See overleaf for explanation

**Benchmark****BMG425****PRODUCT INFORMATION**

<b>MATERIALS</b>	<b>LINER:</b>	Nitrile
	<b>COATING:</b>	–
<b>COLOUR</b>	Blue	
<b>LENGTH (mm)</b>	240 mm	
<b>CUFF STYLE</b>	Beaded	

**RECOMMENDATIONS FOR USE**

- **USE:** Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

**ORDERING DETAILS**

SIZE	CODE	PACKAGING
7½-8/M	BMG00425DF	100 singles per box
8½-9/L	BMG00425DH	
9½-10/XL	BMG00425DJ	10 boxes per case

**CERTIFICATION LEGENDS****RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016**

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofurane	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

**PROTECTION AGAINST MICRO-ORGANISMS EN 374-5**

VIRUS = Glove has passed ISO 16604: 2004 (method B)

**FOOD CONTACT DIRECTIVE 2002 / 72 EC**

EN455-1:	Freedom from holes
EN455-2:	Physical properties
EN455-3:	Biological evaluation
EN455-4:	Shelf Life



Labutrustning • Service • Kvalitet

**LabTeam Scandinavia AB**  
 Adress Vasatorpsvägen 1  
 SE-254 57 Helsingborg Sverige

**Telefon**  
 Direkt 042-300 91 32  
 Kundtjänst 042-300 91 30  
 Stockholm 08-400 200 42  
 Göteborg 031-277 001  
 Danmark 36 98 02 30

**Mail** labteamet@labteamet.com  
**Order** order@labteamet.com  
**Service** service@labteamet.com

**Web**  
 www.labteamet.com